





Information

- Floor-mount installation
- Aerated Flow Rate ~9 gpm @45 psi

- 9-7/8" spout reach
 33-1/2" 36-5/8" ~spout height
 Optional in-line pressure balancing valve
- Handles are required to install rough

G-3652 TARGA Series





GRAFF[®]

CUTTING EDGE DESIGN





Finishes





24K Brushed Architectural Gold Black™



al Brushed Nickel



Matte Black



Polished Chrome






Steelnox® (Satin Nickel)



Architectural White

C14B-BS TARGA, SADE, LUNA Series



GRAFF®





Finishes





Black™

Gold



Brushed Nickel Matte Black



Chrome

Polished



Nickel





Steelnox® (Satin Nickel)



Architectural White

G - 1050 Rough







BATHROOM Targa Floor-Mounted Tub Filler -Spout Only G-3652-T





Information

- Floor-mount installation
- Aerated Flow Rate ~9 gpm @45 psi
- 9-7/8" spout reach
- 33-1/2" 36-5/8" ~spout height
- Optional in-line pressure balancing valve

Finishes





Gold













SteeInox® (Satin Nickel)

24K Gold



Black™

Brushed Nickel

Matte Black


Polished Chrome






Architectural White

G-3652 TARGA Series





GRAFF[®]

CUTTING EDGE DESIGN